

FlatOut Tire Sealant Volume Chart

The following are typical minimum doseages of FlatOut Tire Sealant for a variety of common tire sizes. If you do not find your tire size on this chart, refer to the guidelines published on the FlatOut packaging.



4-wheeled On-road Vehicles

Cars, light trucks, vans, SUV's, RV's, etc...

tire size	fl oz per tire
5.60-15	8
6.00-12	8
6.00-15	8
7.00-13	8
12.00-15	16
12.10-15	16
13.50-16	20
16.00-16	20
28x8.5-15	16
29x10-15	16
30x9.5-15	16
31x10.5-15	16
31x11.5-15	16
32x11.5-15	16
32x14.5-15	20
32x15-15	20
37x14.5-15	20
57x8.5-15	20
125/80-13	8
125/85-16	8
125/90-16	8
125/90-17	8
135/70-13	8
135/70-14	8
135/80-12	8
135/80-13	8
135/80-15	8
145/65-12	8
145/65-13	8
145/70-12	8
145/70-13	8
145/70-14	8
145/70-15	8
145/80-10	8
145/80-12	8
145/80-13	8
145/80-14	8
150/65-315TD/TR	8
150/65-340TD/TR	8
155/60-13	8
155/65-13	8
155/65-14	8

tire size	fl oz per tire
155/70-12	8
155/70-13	8
155/70-14	8
155/70-15	8
155/80-10	8
155/80-12	8
155/80-13	8
155/80-14	8
155/80-15	8
155/80-16	8
160/65-315TD/TR	8
160/65-340TD/TR	8
165/45-400CT	8
165/55-12	8
165/55-13	8
165/55-14	8
165/60-12	8
165/60-13	8
165/60-14	8
165/65-13	8
165/65-14	8
165/65-15	8
165/70-10	8
165/70-12	8
165/70-13	6
165/70-14	8
165/70-15	8
165/75-13	8
165/80-13	8
165/80-14	8
165/80-15	8
170/65-340TD/TR	8
170/65-365TD/TR	8
175/50-13	8
175/50-14	8
175/50-15	8
175/55-15	8
175/60-13	8
175/60-14	8
175/65-12	8
175/65-13	8
175/65-14	8

tire size	fl oz per tire
175/65-15	8
175/70-13	8
175/70-14	8
175/70-15	8
175/70-16	8
175/75-13	8
175/75-15	8
175/80-13	8
175/80-14	8
180/65-365TD/TR	8
185/50-13	8
185/50-14	8
185/55-13	8
185/55-14	8
185/55-15	8
185/60-13	8
185/60-14	8
185/60-15	8
185/65-13	8
185/65-14	8
185/65-15	8
185/65-16	8
185/70-13	8
185/70-14	8
185/70-15	8
185/70-17	8
185/75-13	8
185/80-13	8
185/80-14	8
185/80-15	8
190/55-340TD/TR	16
190/55-365TD/TR	16
190/60-340TD/TR	16
190/60-365TD/TR	16
190/55-390TD/TR	16
190/65-365TD/TR	16
190/65-390TD/TR	16
195/45-14	16
195/45-15	16
195/45-16	16
195/50-13	16
195/50-15	16

tire size	fl oz per tire
195/50-16	16
195/55-13	16
195/55-14	16
195/55-15	16
195/60-13	16
195/60-14	16
195/60-15	16
195/60-16	16
195/65-13	16
195/65-14	16
195/65-15	16
195/70-13	16
195/70-15	16
195/75-15	16
195/80-15	16
200/55-365TD/TR	16
200/60-365TD/TR	16
200/60-390TD/TR	16
200/65-340TD/TR	16
200/65-390TD/TR	16
205/40-13	16
205/40-16	16
205/40-17	16
205/45-15	16
205/45-16	16
205/45-17	16
205/45-425CT	16
205/45-450CT	16
205/50-13	16
205/50-15	16
205/50-16	16
205/50-17	16
205/55-15	16
205/55-16	16
205/55-18	16
205/60-13	16
205/60-15	16
205/60-16	16
205/65-15	16
205/65-16	16
205/70-13	16
205/70-15	16
205/70-16	16
205/75-15	16
205/80-16	16
210/55-365TD/TR	16
210/55-390TD/TR	16
210/65-365TD/TR	16
215/40-15	16
215/40-16	16

tire size	fl oz per tire
215/40-17	16
215/40-18	16
215/45-15	16
215/45-16	16
215/45-17	16
215/45-18	16
215/50-15	16
215/50-13	16
215/50-16	16
215/50-17	16
215/55-15	16
215/55-16	16
215/60-13	16
215/60-15	16
215/60-16	16
215/65-15	16
215/65-16	16
215/70-15	16
215/70-16	16
215/75-15	16
215/75-16	16
215/80-15	16
215/80-16	16
215/85-16	16
220/45-390TD/TR	16
220/45-415TD/TR	16
220/55-365TD/TR	16
220/55-390TD/TR	16
225/35-17	16
225/35-18	16
225/40-16	16
225/40-17	16
225/40-18	16
225/40-475CT	16
225/45-13	16
225/45-16	16
225/45-17	16
235/50-13	16
225/50-15	16
225/50-16	16
225/50-17	16
225/55-13	16
225/55-15	16
225/55-16	16
225/55-17	16
225/60-13	16
225/60-15	16
225/60-16	16
225/65-15	16
225/70-15	16

tire size	fl oz per tire
225/70-16	16
225/75-15	16
225/75-16	16
230/45-390TD/TR	16
230/45-415TD/TR	16
235/35-18	16
235/40-17	16
235/40-18	16
235/40-475CT	16
235/45-15	16
235/45-17	16
235/50-16	16
235/50-17	16
235/50-18	16
235/55-15	16
235/55-16	16
235/55-17	16
235/60-13	16
235/60-15	16
235/60-16	16
235/65-15	16
235/65-16	16
235/70-15	16
235/70-16	16
235/75-15	16
235/85-16	16
240/45-415TD/TR	16
240/55-390TD/TR	16
240/55-415TD/TR	16
245/35-16	16
245/35-17	16
245/35-18	16
245/35-19	16
245/40-17	16
245/40-18	16
245/40-20	16
245/40-500CT	16
245/45-13	16
245/45-16	16
245/45-17	16
245/45-18	16
245/50-13	16
245/50-15	16
245/50-16	16
245/50-17	16
245/55-16	16
245/60-15	16
245/65-17	16
245/70-15	16
245/70-16	16

tire size	fl oz per tire
245/75-16	16
250/45-390TD/TR	16
250/45-415TD/TR	16
255/30-18	16
255/35-18	16
255/35-20	16
255/40-16	16
255/40-17	16
255/40-18	16
255/40-19	16
255/45-15	16
255/45-17	16
255/45-18	16
255/45-19	16
255/50-16	16
255/50-17	16
255/50-18	16
255/55-17	16
255/55-18	16
255/60-15	16
255/60-16	16
255/60-17	16
255/65-15	16
255/65-16	16
255/70-15	16
255/75-15	16
265/30-19	16
265/35-17	16
265/35-18	16
265/35-20	16
265/40-17	16
265/40-18	16
265/40-500CT	16
265/45-16	16
265/50-15	16
265/50-16	16
265/60-15	16
265/70-15	16
265/70-16	16
265/75-15	16
265/75-16	16
275/30-19	16
275/35-17	16
275/35-18	16
275/35-20	16
275/40-17	16
275/40-18	16
275/45-13	16
275/50-15	16
275/50-16	16

tire size	fl oz per tire
275/55-15	16
275/55-17	16
275/60-15	16
275/60-16	16
275/60-17	16
275/70-16	16
275/80-15	16
280/45-415TD/TR	16
285/30-18	16
285/30-19	16
285/30-20	16
285/35-17	16
285/35-18	16
285/35-19	16
285/40-15	16
285/40-17	16
285/40-18	16
285/45-18	16
285/50-15	16
285/55-18	16
285/55-20	16
285/60-17	16
285/70-15	16
295/35-18	16
295/35-19	16
295/40-17	16
295/40-18	16
295/50-15	16
305/50-15	16
315/30-18	16
315/35-17	16
315/45-17	16
325/30-18	20
325/50-15	20
325/50-20	20
335/30-18	20
335/35-17	20
345/35-15	20
345/35-18	20
345/60-17	20